

CONTENTS

◆ Vladimir G. Gagarin and Nguyen Vu Thanh. Two species of free-living nematodes of the family Leptolaimidae (Nematoda, Plectida) from mangrove of Mekong River Delta, Vietnam	1
◆ Vladimir G. Gagarin and Nguyen Vu Thanh. Three new species of free-living nematodes from mangrove of Mekong River, Vietnam	7
◆ Majid Pedram, Gholamreza Niknam, Weimin Ye and Robert F. Robbins. First record of <i>Eiphyadophora quadralata</i> Corbett, 1964 from Iran and a study of its phylogenetic relationship based on the analysis of partial 18S rDNA sequences	16
◆ Q. Yu, P. de Groot, I. Leal, C. Davis, W. Ye, and B. Foord. Characterization of <i>Deladenus siricidicola</i> (Tylenchida: Neotylenchidae) associated with <i>Sirex noctilio</i> (Hymenoptera: Siricidae) in Canada	23
◆ M. M. M. Abd-Elgawad, S. S. A. Kabeil, and M. I. A. El-Taweel. Agricultural features of Borg El-Arab region, Egypt with special reference to nematodes and other ecological factors	33
◆ Wafaa M. A. El-Nagdi and M. M. A. Youssef. Effect of certain medicinal plant extracts, a biocide and a biofertilizer for controlling <i>Meloidogyne incognita</i> infesting grapevines in Egypt	40
◆ Mujeebur Rahman Khan and Uzma Khan. Pathogenicity of <i>Steinernema masoodi</i> AMU EPN-1 against guava fruit fly, <i>Bactrocera</i> sp	47
◆ Atungwu, J. J., S. O. Afolami, O. J. Ariyo and S. K. Meseke. Broad sense heritability and inheritance of resistance to <i>Meloidogyne incognita</i> in adapted cultivars of soybean	51
◆ C. C. Iheukwumere, C. I. Iheukwumere and O. J. Apeji. Impacts and interactions of cowpea aphid-borne mosaic virus and <i>Meloidogyne incognita</i> infection on cowpea	56
◆ Mohammad Rafiq Siddiqi. Ten new species of <i>Aphanolaimus</i> de Man, 1880 (Nematoda: Araeolaimida)	63
◆ S. Ardakani, H. S. Gaur, A. Kamra and S. Mohan. Impact of <i>Azadirachta indica</i> seed and kernel extracts on <i>Meloidogyne incognita</i> , <i>Cephalobus persegnis</i> and <i>Heterorhabditis indica</i>	87
◆ E. E. A. Oyedunmade, S. A. Abolusoro and T. I. Olabiyi. Nematicidal activities of carbofuran and some organic materials on plant parasitic nematode control on tomato	96
◆ Mona A. Hussein, H. M. Hussein, and N. A. Farag. Impact of liquid agar on the efficacy of <i>Steinernema carpocapsae</i> to control <i>Pieris rapae</i> infected cabbage plantation	103
◆ K. Roy and A. K. Mukhopadhyay. Effect of soil temperature and cropping sequences on the population dynamics of major plant parasitic nematodes in Gangetic Alluvial Region of West Bengal	108
◆ Deepika Rohatgi, Pankaj, S. S. Gaurav, S. M. S. Tomar, Anil Sirohi, H. S. Gaur, Veer Kishor, A. K. Ganguly and S. P. Bishnoi. Polymorphism in wheat with different levels of resistance to the cereal cyst nematode (<i>Heterodera avenae</i>) using RAPD markers	113
◆ Short Communication	
◆ C. R. Satpathi. Relationship between parasitic nematode, <i>Hexameris</i> sp. and brown planthopper, <i>Nilaparvata lugens</i> Stål in rice crop in Eastern India	120

CONTENTS

• István Andrásy. <i>Aporcelinus</i> , a new genus of aporcelaimoid nematodes (Dorylaimida), and its species	121
• S. Farahmand, A. Eskandari, M. I. Vinciguerra, L. Orselli and A. Karegar. New and known species of the family Mononchidae (Nematoda) from Iran	137
• Sanaa A. M. Ibrahim. Genetic diversity and phylogenetic relationships of some entomopathogenic nematode species (Steinernematidae and Heterorhabditidae)	144
• Mohammad Mahamood and Ifan Ahmad. Nematodes of the Order Rhabditida from India. First report of <i>Paroigolaimella bernensis</i> and <i>Oigolaimella longicauda</i> (Nematoda: Diplogastrina)	151
• Qing Yu. The genus <i>Paratylenchus</i> Micoletzky, 1922 in Canada (Nematoda: Paratylenchidae)	159
• M. Kamran, K. Nasira and F. Shahina. Two new species of marine nematodes <i>Microloaimus amphidius</i> sp. n. and <i>M. karachiensis</i> (Chromadorida) from Arabian Sea of Pakistan	167
• Viswa Venkat Gantait, Tanmay Bhattacharya and Amalendu Chatterjee. <i>Dorylaimus neominimus</i> sp. n. (Nematoda: Dorylaimida) from West Bengal, India	173
• Mahendra Singh, Anju Jain and Jagjit Singh Gill. Dose optimization of egg parasitic fungus <i>Paecilomyces lilacinus</i> alone and in combination with carbofuran for control of <i>Meloidogyne incognita</i> infecting tomato	177
• Jola Dubey, B. N. Tiwary, K. S. Rathour and Sudershan Ganguly. Phylogeny of some Indian species/strains of <i>Steinernema</i> (Rhabditida) based on RFLPs of the ITS region of rDNA	182
• Gavas Ragesh, Tony Grace, Uma Rao, and K. K. Kaushal and S. Vangapandu. Genetic differentiation among populations of <i>Heterodera zea</i> as revealed by Restriction Fragment Length Polymorphism	189
• Tony Grace, Gavas Ragesh, Ginny Antony and K. K. Kaushal. Phylogenetic analysis of ITS region of rDNA reveals strong genetic divergence among geographically isolated populations of <i>Heterodera zea</i>	196
• Saad L. Hafez and P. Sundararaj. Chemical management practices of <i>Meloidogyne chitwoodi</i> in a potato field in USA	203
• Mona E. M. Al-Shalaby. The use of garlic extracts for biocontrol of <i>Meloidogyne incognita</i> infecting cucumber plants	208
• E. M. A. Noweer and Mona E. M. Al-Shalaby. Effects of <i>Verticillium chlamydosporium</i> combined with some organic manures on <i>Meloidogyne incognita</i> and other soil micro-organisms on tomato	215
• L. Sobita Simon and Geeta Bhandari. Crop rotation for the management of <i>Hirschmanniella mucronata</i> in rice	221
• M. M. A. Youssef and Wafaa M. A. El-Nagdi. Effect of mixed cropping with date palm on associated plant parasitic nematodes in Egypt	225
• Moawad M. Mohamed and Mahmud M. A. Youssef. Efficacy of calcium carbide for managing <i>Meloidogyne incognita</i> infesting squash in Egypt	229
• F. Shahina, Mehreen Gulsher, Salma Javed, Tabassum Ara Khanum and Muhammad Ismail Bhatti. Susceptibility of different life stages of red palm weevil, <i>Rhynchophorus ferrugineus</i> , to entomopathogenic nematodes	232
• Tony Grace, Sony Grace and Ginny Antony. Fragment Size Calculator 1.0, a standalone Windows based software program for calculating DNA fragment sizes from agarose and polyacrylamide gels	241

International Journal of Nematology

ISSN 1368-8774

Editor-in-Chief: Dr M. R. Siddiqi

**24 Brantwood Road, Luton, Bedfordshire, LU1 1JJ, England
(Tel: 00-44-1582-726724; E-mail: rsiddiqi@dialstart.net).**

Editor: Ms Safia F. Siddiqi, 20 - 6300 London Road, Richmond, B C , V7E 6V6, Canada
Tel.: 00-1-604-295-1540 E-mail: safia_siddiqi@ifns.org

Managing Editor: Dr Naved Sabir, National Centre for Integrated Pest Management, LBS Building,
I A R.I Campus, New Delhi-110 012, India Tel.: 00-91-11- 25843935, 25740951; Fax: +91-11-25841472;
Mobile: +91-9868589857 E-mail: n_sabir@rediffmail.com

Editorial Board Members:

Dr I. Andrassy, Hungary
Dr M. Araki, Japan
Dr A. Bello, Spain
Dr A. L. Bilgrami, USA
Dr F. Shahina, Pakistan
Dr D. De Waele, Belgium
Dr H. S. Gaur, India
Dr P. S. Grewal, USA
Dr D. J. Hunt, UK
Dr M. S. Jairajpuri, India

Dr M. G. K. Jones, Australia
Dr E. M. Mousa, Egypt
Dr So Deuk Park, Korea
Dr R. Rodríguez-Kábana, USA
Dr A. Y. Ryss, Russia
Dr N. A. Santos, Portugal
Dr M. T. Vinciguerra, Italy
Dr N. Vovlas, Italy
Dr W. M. Wouts, New Zealand
Dr Xuebiao Gao, China
Dr U. Zunke, Germany

Subscription information

Annual subscription (including airmail postage and packing):

Organisations, institutions and libraries: £75, North America and Japan US\$150

Members of nematological societies: £45, North America and Japan US\$90

[Add £10/ US\$20 for airmail postage]

Cheques and bank drafts should be made in the name of Afro-Asian Society of Nematologists and sent to the Editor-in-Chief. Subscription money can be paid directly into AASN bank account, details are: Barclays Bank PLC., PO Box 104, St. Albans, England; BIC code: BARCGB22; IBAN code: GB41 BARC 2074 0930 0562 51.

The International Journal of Nematology is a biannual journal. It is published in England by Novacrystal Publishing from 24 Brantwood Road, Luton, Beds. LU1 1JJ, United Kingdom

© Afro-Asian Society of Nematologists: <http://www.ifns.org/membership/aasn.html>

Picture on front cover: Potato field in Idaho, USA, infested with *Meloidogyne chitwoodi*; inset: Healthy (left) and diseased potato tubers. Photo courtesy of Saad L. Hafez, see pp. 203-207.

INSTRUCTIONS TO AUTHORS

The International Journal of Nematology (IJN) is essentially devoted to the publication of original research papers on all aspects of plant, soil, freshwater, marine and invertebrate nematology. Papers on nematode parasites of vertebrates will also be considered for publication if they are of general interest or on taxonomy. All papers, review articles and short communication submitted to IJN must be unpublished original works. The manuscripts in English should be in a finished form and typed on one side of A4 size paper and double spaced throughout with ample margins. Pages should be numbered consecutively beginning from the title page. Foot notes should be avoided. Text in any format (tables and figures included or sent separately) on floppy diskette in MS Word or sent through e-mail as attached file(s) is preferred since it saves retyping.

Research papers. There is no restriction on overall length of research papers. The title page should preferably be a separate sheet and should include the following information: title of the paper, name(s) of author(s), name and address of institution where the work was carried out, an abstract of the paper followed by up to 15 keywords. A short running title may be suggested, after the keywords. Preferably, the text should be divided into INTRODUCTION, MATERIALS AND METHODS, RESULTS, DISCUSSION and LITERATURE CITED. A combined RESULTS AND DISCUSSION section is suitable.

Review articles and short communications. Review articles of general significance and surveying and critically evaluating recent developments in a particular research area will be published. Short communications for quick publication should include brief but definitive research notes.

Tables and figures. Tables should be descriptive without any reference to the text. Each table should be typed on a separate sheet. Figures, whether line drawings, graphs or photographs should be of a good quality. Legends to figures should be given on a separate sheet. Tables and figures should be numbered consecutively in Arabic numerals (Table 1, Table 2, Fig 1, Figs 2 & 3, etc.) and be identified on the back by the name(s) of the author(s).

Units and abbreviations. Wherever possible all sizes and quantities should be expressed in Systéme Internationale (SI) units. Abbreviations such as mm (millimetre), μm (micrometre), g (gram), ha (hectare), J₂ or J2 (second-stage juvenile), n (number), SE, \pm (standard error), h (hour) and morphometric ratios and symbols as in Siddiqi's (2000) book on *Tylenchida* should be used. Week, day, month and year should not be abbreviated.

Literature citation. In the text, references should be cited as

follows: two authors, Nirmala and Mehta (1994) or (Hillocks & Bridge, 1992), three or more authors, Escuer *et al.*, 1991 or (Anis *et al.*, 2002). All references made in the text must be listed under 'LITERATURE CITED' at the end of the text. References should be listed alphabetically by the authors, followed by the year of publication. Journal titles should be cited in full, while for books the place of publication should precede the name of the publisher. Examples:

Siddiqi, M. R. 2000. *Tylenchida Parasites of Plants and Insects, 2nd Edition*. Wallingford, UK: CAB International, xvii + 833 pp

Griffith R. and P. K. Koshy 1990. Nematode parasites of coconut and other palms. In: *Plant Parasitic Nematodes in Subtropical and Tropical Agriculture*, pp 363-386 (eds M Luc, R. A. Sikora and J. Bridge). Wallingford, UK: CAB International

Khan, E., M. Singh and M. Lal 1998. Four new species of tylenchids (Nematoda: Tylenchida) from Nepal. *International Journal of Nematology* 8, 27-32

Submission. One copy of the manuscript with the original figures should be submitted to the Editor-in-Chief, Dr. M. R. Siddiqi, 24 Brantwood Road, Luton, LU1 1JJ, England. It is requested to provide the text on floppy diskette in MS Word or send the text by e-mail either to: rsiddiqi@dialstart.net, or safia.siddiqi@ifns.org and send the figures by airmail post. Payment of page charges (£30/page, £15/page reduced rate) helps the publication of IJN and facilitates quick publication.

Proofs and reprints. One copy of the proofs will be sent to the first or only author, preferably by e-mail, which must be returned to the Editor-in-Chief within a fortnight. Corrections can be communicated by e-mail: rsiddiqi@dialstart.net or safia.siddiqi@ifns.org. No free reprints will be supplied, but reprints can be ordered, up to 100, at cost (50 and 100 reprints for a 4-page paper are charged at £40 and £60, respectively, plus postage and packing charges) while returning the proofs.

Copyright. Copyright of all papers published in IJN is with the Afro-Asian Society of Nematologists (AASN). Acceptance of manuscripts for IJN automatically transfers the copyright to AASN.

Disclaimer. IJN accepts no liability for any alterations, errors, or omissions in publication and do not provide warranty, expressed or implied, with respect to the contents of published articles. Editors of IJN have the right to alter the submitted papers, review articles and short communications to agree with the format of the journal and/or the policy of the AASN. The financial liabilities of IJN and AASN are limited to the money in their bank accounts.