

International Journal of Nematology

ISSN 1368-8774

Editor-in-Chief: Dr M. R. Siddiqi
24 Brantwood Road, Luton, Bedfordshire, LU1 1JJ, England
(Tel: 00-44-1582-726724; E-mail: rsiddiqi@dialstart.net).

Editor: Ms Safia F. Siddiqi, 20 - 6300 London Road, Richmond, B.C., V7E 6V6, Canada.
Tel.: 00-1-604-295-1540. E-mail: safia.siddiqi@ifns.org

Managing Editor: Dr Naved Sabir, National Centre for Integrated Pest Management, LBS Building,
I.A.R.I. Campus, New Delhi-110 012, India. Tel.: 00-91-11- 25843935, 25740951; Fax: +91-11-25841472;
Mobile: +91-9868589857. E-mail: n_sabir@rediffmail.com

Editorial Board Members:

Dr I. Andrásy, Hungary

Dr M. Araki, Japan

Dr A. Bello, Spain

Dr A. L. Bilgrami, USA

Dr F. Shahina, Pakistan

Dr D. De Waele, Belgium

Dr V. G. Gagarin, Russia

Dr H. S. Gaur, India

Dr T. Grace, USA

Dr P. S. Grewal, USA

Dr D. J. Hunt, UK

Dr M. S. Jairajpuri, India

Dr M. G. K. Jones, Australia

Dr E. M. Mousa, Egypt

Dr So Deuk Park, Korea

Dr N. A. Santos, Portugal

Dr M. T. Vinciguerra, Italy

Dr N. Vovlas, Italy

Dr W. M. Wouts, New Zealand

Dr Xuebiao Gao, China

Dr U. Zunke, Germany

Subscription information

Annual subscription (including airmail postage and packing):

Organisations, institutions and libraries: £75, North America and Japan US\$150

Members of nematological societies: £45, North America and Japan US\$90

[Add £10/ US\$20 for airmail postage]

Cheques and bank drafts should be made in the name of Afro-Asian Society of Nematologists and sent to the Editor-in-Chief. Subscription money can be paid directly into AASN bank account, details are: Barclays Bank PLC, PO Box 104, St. Albans, England; BIC code: BARCGB22; IBAN code: GB41 BARC 2074 0930 0562 51. Subscribers in North America and Japan should contact the Editor, Ms Safia F. Siddiqi on above address.

The International Journal of Nematology is a biannual journal. It is published in England by Novacrystal Publishing from 24 Brantwood Road, Luton, Beds. LU1 1JJ, United Kingdom.

© Afro-Asian Society of Nematologists: <http://www.ifns.org/membership/aasn.html>

Picture on front cover: Studies to find resistance in *Musa* germplasm against *Radopholus similis* and *Meloidogyne incognita* is yielding fruitful results, see pp. 19-26. Photo of banana plants for screening resistance, inset: nematode infested banana roots. Photo courtesy of D. Suganthagunthalam.

INSTRUCTIONS TO AUTHORS

The International Journal of Nematology (IJN) is essentially devoted to the publication of original research papers on all aspects of plant, soil, freshwater, marine and invertebrate nematology. Papers on nematode parasites of vertebrates will also be considered for publication if they are of general interest or on taxonomy. All papers, review articles and short communication submitted to IJN must be unpublished original works. The manuscripts in English should be in a finished form and typed on one side of A4 size paper and double spaced throughout with ample margins. Pages should be numbered consecutively beginning from the title page. Foot notes should be avoided. Text in any format (tables and figures included or sent separately) on floppy diskette in MS Word or sent through e-mail as attached file(s) is preferred since it saves retyping.

Research papers. There is no restriction on overall length of research papers. The title page should preferably be a separate sheet and should include the following information: title of the paper, name(s) of author(s), name and address of institution where the work was carried out, an abstract of the paper followed by up to 15 keywords. A short running title may be suggested, after the keywords. Preferably, the text should be divided into INTRODUCTION, MATERIALS AND METHODS, RESULTS, DISCUSSION and LITERATURE CITED. A combined RESULTS AND DISCUSSION section is suitable.

Review articles and short communications. Review articles of general significance and surveying and critically evaluating recent developments in a particular research area will be published. Short communications for quick publication should include brief but definitive research notes.

Tables and figures. Tables should be descriptive without any reference to the text. Each table should be typed on a separate sheet. Figures, whether line drawings, graphs or photographs should be of a good quality. Legends to figures should be given on a separate sheet. Tables and figures should be numbered consecutively in Arabic numerals (Table 1, Table 2, Fig. 1, Figs 2 & 3, etc.) and be identified on the back by the name(s) of the author(s).

Units and abbreviations. Wherever possible all sizes and quantities should be expressed in Système Internationale (SI) units. Abbreviations such as mm (millimetre), μm (micrometre), g (gram), ha (hectare), J_2 or $J2$ (second-stage juvenile), n (number), SE, \pm (standard error), h (hour) and morphometric ratios and symbols as in Siddiqi's (2000) book on Tylenchida should be used. Week, day, month and year should not be abbreviated.

Literature citation. In the text, references should be cited as

follows: two authors, Nirmala and Mehta (1994) or (Hillocks & Bridge, 1992), three or more authors, Escuer *et al.*, 1991 or (Anis *et al.*, 2002). All references made in the text must be listed under 'LITERATURE CITED' at the end of the text. References should be listed alphabetically by the authors, followed by the year of publication. Journal titles should be cited in full, while for books the place of publication should precede the name of the publisher. Examples:

Siddiqi, M. R. 2000. *Tylenchida Parasites of Plants and Insects, 2nd Edition*. Wallingford, UK: CAB International, xvii + 833 pp.

Griffith R. and P. K. Koshy 1990. Nematode parasites of coconut and other palms. In: *Plant Parasitic Nematodes in Subtropical and Tropical Agriculture*, pp. 363-386 (eds M. Luc, R. A. Sikora and J. Bridge). Wallingford, UK: CAB International.

Khan, E., M. Singh and M. Lal 1998. Four new species of tylenchids (Nematoda: Tylenchida) from Nepal. *International Journal of Nematology* 8, 27-32.

Submission. One copy of the manuscript with the original figures should be submitted to the Editor-in-Chief, Dr. M. R. Siddiqi, 24 Brantwood Road, Luton, LU1 1JJ, England. It is requested to provide the text on floppy diskette in MS Word or send the text by e-mail either to: rsiddiqi@dialstart.net, or safia.siddiqi@ifns.org and send the figures by airmail post.. Payment of page charges (£30/page, £15/page reduced rate) helps the publication of IJN and facilitates quick publication.

Proofs and reprints. One copy of the proofs will be sent to the first or only author, preferably by e-mail, which must be returned to the Editor-in-Chief within a fortnight. Corrections can be communicated by e-mail: rsiddiqi@dialstart.net or safia.siddiqi@ifns.org. No free reprints will be supplied, but reprints can be ordered, up to 100, at cost (50 and 100 reprints for a 4-page paper are charged at £40 and £60, respectively, plus postage and packing charges) while returning the proofs.

Copyright. Copyright of all papers published in IJN is with the Afro-Asian Society of Nematologists (AASN). Acceptance of manuscripts for IJN automatically transfers the copyright to AASN.

Disclaimer. IJN accepts no liability for any alterations, errors, or omissions in publication and do not provide warranty, expressed or implied, with respect to the contents of published articles. Editors of IJN have the right to alter the submitted papers, review articles and short communications to agree with the format of the journal and/or the policy of the AASN. The financial liabilities of IJN and AASN are limited to the money in their bank accounts.

CONTENTS

<p>● L. K. Carta, Z. A. Handoo, N. I. Lebedeva, A. K. Raina, T. I. Zhuginisov and A. Sh. Khamraev. <i>Pelodera termitis</i> sp. n. and two other rhabditid nematode species associated with the Turkestan termite <i>Anacanthotermes turkestanicus</i> from Uzbekistan</p>	125
<p>● K. Nasira, F. Shahina and K. Firoza. Description of <i>Longidorella (Saevadorella) tharensis</i> sp. n. (Nematoda: Dorylaimida) from Sindh, Pakistan</p>	135
<p>● Vladimir G. Gagarin and Tatyana V. Naumova. Three new species of free-living nematodes from Lake Baikal, Russia</p>	141
<p>● Peeyush Kumar, M. Abid Hussain, Milan Prasad, Rishi Pal and C. S. Prasad. Phenotypic and molecular characterization of four strains of <i>Photorhabdus luminescens</i> associated with entomopathogenic nematodes of <i>Heterorhabditis</i> spp.</p>	150
<p>● R. Ahmad, M. Abid Hussain, Azra Shaheen and S. S. Ali. Susceptibility of 23 agriculturally important insect pests to entomopathogenic nematode, <i>Steinernema masoodi</i> (Rhabditida: Steinernematidae)</p>	157
<p>● Prasanna Holajjer, Anju Kamra, H. S. Gaur and Dolly Wattal Dhar. Bioefficacy and shelf life of carrier based formulations of cyanobacterium, <i>Synechococcus nidulans</i> against <i>Meloidogyne incognita</i> infecting brinjal</p>	162
<p>● Majid Pedram, Gholamreza Niknam, Maria T. Vinciguerra, Weimin Ye and Robert T. Robbins. Description of <i>Paractinolaimus decraemerae</i> sp. n. and redescription of <i>P. parietinus</i> Eroschenko, 1977 (Dorylaimida: Actinolaimidae) from northwestern Iran</p>	169
<p>● K. Nasira, B. Rehmat and F. Shahina. <i>Diplolaimella dievengatensis</i>, <i>Theristus longisetifer</i> and <i>Trichotheristus floridanus</i> (Nematoda: Monhysteridae & Xyalidae) reported from Arabian Sea of Pakistan</p>	179
<p>● Q. Yu, W. Ye, A. Badiss and F. Sun. Description of <i>Ditylenchus dipsaci</i> (Kühn, 1857) Filipjev, 1936 (Nematoda: Anguinidae) infesting garlic in Ontario, Canada</p>	185
<p>● A. Shanthi and G. Rajendran. Screening biocontrol agents against the lesion nematodes in banana</p>	193
<p>● W. Ahmad, U. Tauheed and M. Baniyauddin. Proposal of a new genus <i>Sclerodorylaimus</i> for <i>Mesodorylaimus enigmatus</i> Ahmad & Ahmad, 2001</p>	197
<p>● Fayyaz Shahina, Asim Rehan Kazmi, Tabassum Ara Khanum, Mehreen Gulsher and Salma Javed. Evaluation of <i>Xenorhabdus nematophila</i> from <i>Steinernema asiaticum</i> against wax moth larvae and vine mealy bug</p>	203
<p>● R. K. Walia, Anil Kumar, S. K. Mehta and Ashima Kapoor. An efficient <i>in vivo</i> system for mass production of <i>Pasteuria penetrans</i></p>	211
<p>● Sudershan Ganguly, Sushil Kumar and K. S. Rathour. Genes encoding the ITS region of rDNA differentiate entomopathogenic nematode species</p>	219
<p>● Agatha Umeh and R. W. Ndana. Effectiveness of <i>Jatropha curcas</i> and <i>Jatropha gossypifolia</i> plant extracts in the control of <i>Meloidogyne incognita</i> on okra</p>	226
<p>● J. J. Atungwu, K. I. Animashaun, A. R. Popoola and D. K. Ojo. First report of sources of resistance in cotton to <i>Meloidogyne incognita</i> in Nigeria</p>	230
<p>● R. K. Mishra, S. Singh, S. Pandey, P. Sharma and R. P. Gupta. First report of root knot nematode <i>Meloidogyne graminicola</i> on onion in India</p>	236

CONTENTS

● Vladimir G. Gagarin and Nguen Vu Thanh. Two new nematode species of the family Xyalidae Chitwood, 1951 (Nematoda, Monhysterida) from littoral zone of South China Sea	1
● Vladimir G. Gagarin and Tatyana V. Naumova. Two new species of the genus <i>Hofmaenneria</i> Schneider, 1940 (Nematoda, Monhysterida) from Lake Baikal, Russia	7
● Vladimir G. Gagarin and Nguyen Vu Thanh. Two new species of the genus <i>Terschellingia</i> de Man, 1888 (Nematoda, Linhomoeidae) from the coast of Vietnam	13
● D. Suganthagunthalam, A. Elsen and D. De Waele. Identification of combined resistance to <i>Radopholus similis</i> and <i>Meloidogyne incognita</i> in <i>Musa</i> germplasm	19
● Patchareewan Maneesakorn, Parwinder S. Grewal and Angsumarn Chandrapatya. <i>Steinernema minutum</i> sp. nov. (Rhabditida: Steinernematidae): a new entomopathogenic nematode from Thailand	27
● Mohammad Rafiq Siddiqi. Ten new species of Criconematina Siddiqi (Nematoda)	43
● Irfan Ahmad, Ali Asghar Shah and Mohammad Mahamood. Nematodes of the Order Rhabditida from India. Description of a new species of <i>Mesorhabditis</i> (Rhabditidae) and comments on <i>M. cranganorensis</i> (Khera, 1968)	63
● M. Kamran, K. Nasira and F. Shahina. Description of <i>Halaphanolaimus marinus</i> sp. n. (Nematoda: Chromadorida) from Arabian Sea of Pakistan	69
● K. A. Tabassum and F. Shahina. <i>Oscheius siddiqii</i> and <i>O. niazii</i> , two new entomopathogenic nematode species from Pakistan, with observations on <i>O. shamimi</i>	75
● Saad L. Hafez and P. Sundararaj. Chemical and nonchemical strategies for the management of <i>Meloidogyne chitwoodi</i> on potato in Idaho, USA	85
● Saad L. Hafez, P. Sundararaj, Zafar A. Handoo and M. Rafiq Siddiqi. Occurrence and distribution of nematodes in Idaho crops	91
● Wafaa M. A. El-Nagdi and H. A. H. Said-Al Ahl. Comparative efficacy of some aqueous medicinal plant extracts and essential oils on the root-knot nematode, <i>Meloidogyne incognita</i> infecting cucumber plant	99
● M. N. Esfahani and A. Ahmadi. Field observations on the reaction of medicinal plants to root-knot nematodes in Isfahan, Iran	107
● K. M. Pofu, P. W. Mashela and M. S. Mphosi. Responses of <i>Cucumis africanus</i> and <i>Cucumis myriocarpus</i> to <i>Meloidogyne incognita</i> race 2 under microplot conditions	113
● Viswa Venkat Gantait, Tanmay Bhattacharya and Amalendu Chatterjee. Community analysis of soil and plant parasitic nematodes in a banana plantation of West Bengal, India	119

CONTENTS

◆ István Andrásy. <i>Aporcelinus</i> , a new genus of aporcelaimoid nematodes (Dorylaimida), and its species	121
◆ S. Farahmand, A. Eskandari, M. T. Vinciguerra, L. Orselli and A. Karegar. New and known species of the family Mononchidae (Nematoda) from Iran	137
◆ Sanaa A. M. Ibrahim. Genetic diversity and phylogenetic relationships of some entomopathogenic nematode species (Steinernematidae and Heterorhabditidae)	144
◆ Mohammad Mahamood and Irfan Ahmad. Nematodes of the Order Rhabditida from India. First report of <i>Paroigolaimella bernensis</i> and <i>Oigolaimella longicauda</i> (Nematoda: Diplogastrina)	151
◆ Qing Yu. The genus <i>Paratylenchus</i> Micoletzky, 1922 in Canada (Nematoda: Paratylenchidae)	159
◆ M. Kamran, K. Nasira and F. Shahina. Two new species of marine nematodes <i>Microlaimus amphidioides</i> sp. n. and <i>M. karachiensis</i> (Chromadorida) from Arabian Sea of Pakistan	167
◆ Viswa Venkat Gantait, Tanmay Bhattacharya and Amalendu Chatterjee. <i>Dorylaimus neominimus</i> sp. n. (Nematoda: Dorylaimida) from West Bengal, India	173
◆ Mahendra Singh, Anju Jain and Jagjit Singh Gill. Dose optimization of egg parasitic fungus <i>Paecilomyces lilacinus</i> alone and in combination with carbofuran for control of <i>Meloidogyne incognita</i> infecting tomato	177
◆ Jola Dubey, B. N. Tiwary, K. S. Rathour and Sudershan Ganguly. Phylogeny of some Indian species/strains of <i>Steinernema</i> (Rhabditida) based on RFLPs of the ITS region of rDNA	182
◆ Gavas Ragesh, Tony Grace, Uma Rao, and K. K. Kaushal and S. Vangapandu. Genetic differentiation among populations of <i>Heterodera zaeae</i> as revealed by Restriction Fragment Length Polymorphism	189
◆ Tony Grace, Gavas Ragesh, Ginny Antony and K. K. Kaushal. Phylogenetic analysis of ITS region of rDNA reveals strong genetic divergence among geographically isolated populations of <i>Heterodera zaeae</i>	196
◆ Saad L. Hafez and P. Sundararaj. Chemical management practices of <i>Meloidogyne chitwoodi</i> in a potato field in USA	203
◆ Mona E. M. Al-Shalaby. The use of garlic extracts for biocontrol of <i>Meloidogyne incognita</i> infecting cucumber plants	208
◆ E. M. A. Noweer and Mona E. M. Al-Shalaby. Effects of <i>Verticillium chlamyosporium</i> combined with some organic manures on <i>Meloidogyne incognita</i> and other soil micro-organisms on tomato	215
◆ L. Sobita Simon and Geeta Bhandari. Crop rotation for the management of <i>Hirschmanniella mucronata</i> in rice	221
◆ M. M. A. Youssef and Wafaa M. A. El-Nagdi. Effect of mixed cropping with date palm on associated plant parasitic nematodes in Egypt	225
◆ Moawad M. Mohamed and Mahmud M. A. Youssef. Efficacy of calcium carbide for managing <i>Meloidogyne incognita</i> infesting squash in Egypt	229
◆ F. Shahina, Mehreen Gulsher, Salma Javed, Tabassum Ara Khanum and Muhammad Ismail Bhatti. Susceptibility of different life stages of red palm weevil, <i>Rhynchophorus ferrugineus</i> , to entomopathogenic nematodes	232
◆ Tony Grace, Sony Grace and Ginny Antony. Fragment Size Calculator 1.0, a standalone Windows based software program for calculating DNA fragment sizes from agarose and polyacrylamide gels	241

CONTENTS

<p>◆ Vladimir G. Gagarin and Nguyen Vu Thanh. Two species of free-living nematodes of the family Leptolaimidae (Nematoda, Plectida) from mangrove of Mekong River Delta, Vietnam</p>	1
<p>◆ Vladimir G. Gagarin and Nguyen Vu Thanh. Three new species of free-living nematodes from mangrove of Mekong River, Vietnam</p>	7
<p>◆ Majid Pedram, Gholamreza Niknam, Weimin Ye and Robert T. Robbins. First record of <i>Ecphyadophora quadralata</i> Corbett, 1964 from Iran and a study of its phylogenetic relationship based on the analysis of partial 18S rDNA sequences</p>	16
<p>◆ Q. Yu, P. de Groot, I. Leal, C. Davis, W. Ye, and B. Foord. Characterization of <i>Deladenus siricidicola</i> (Tylenchida: Neotylenchidae) associated with <i>Sirex noctilio</i> (Hymenoptera: Siricidae) in Canada</p>	23
<p>◆ M. M. M. Abd-Elgawad, S. S. A. Kabeil, and M. I. A. El-Taweel. Agricultural features of Borg El-Arab region, Egypt with special reference to nematodes and other ecological factors</p>	33
<p>◆ Wafaa M. A. El-Nagdi and M. M. A. Youssef. Effect of certain medicinal plant extracts, a biocide and a biofertilizer for controlling <i>Meloidogyne incognita</i> infesting grapevines in Egypt</p>	40
<p>◆ Mujeebur Rahman Khan and Uzma Khan. Pathogenicity of <i>Steinernema masoodi</i> AMU EPN-1 against guava fruit fly, <i>Bactrocera</i> sp.</p>	47
<p>◆ Atungwu, J. J., S. O. Afolami, O. J. Ariyo and S. K. Meseka. Broad sense heritability and inheritance of resistance to <i>Meloidogyne incognita</i> in adapted cultivars of soybean</p>	51
<p>◆ C. C. Iheukwumere, C. I. Iheukwumere and O. J. Apeji. Impacts and interactions of cowpea aphid-borne mosaic virus and <i>Meloidogyne incognita</i> infection on cowpea</p>	56
<p>◆ Mohammad Rafiq Siddiqi. Ten new species of <i>Aphanolaimus</i> de Man, 1880 (Nematoda: Araeolaimida)</p>	63
<p>◆ S. Ardakani, H. S. Gaur, A. Kamra and S. Mohan. Impact of <i>Azadirachta indica</i> seed and kernel extracts on <i>Meloidogyne incognita</i>, <i>Cephalobus persegnis</i> and <i>Heterorhabditis indica</i></p>	87
<p>◆ E. E. A. Oyedunmade, S. A. Abolusoro and T. I. Olabiyi. Nematicidal activities of carbofuran and some organic materials on plant parasitic nematode control on tomato</p>	96
<p>◆ Mona A. Hussein, H. M. Hussein, and N. A. Farag. Impact of liquid agar on the efficacy of <i>Steinernema carpocapsae</i> to control <i>Pieris rapae</i> infected cabbage plantation</p>	103
<p>◆ K. Roy and A. K. Mukhopadhyay. Effect of soil temperature and cropping sequences on the population dynamics of major plant parasitic nematodes in Gangetic Alluvial Region of West Bengal</p>	108
<p>◆ Deepika Rohatgi, Pankaj, S. S. Gaurav, S. M. S. Tomar, Anil Sirohi, H. S. Gaur, Veer Kishor, A. K. Ganguly and S. P. Bishnoi. Polymorphism in wheat with different levels of resistance to the cereal cyst nematode (<i>Heterodera avenae</i>) using RAPD markers</p>	113
◆ Short Communication	
<p>◆ C. R. Satpathi. Relationship between parasitic nematode, <i>Hexameris</i> sp. and brown planthopper, <i>Nilaparvata lugens</i> Stål in rice crop in Eastern India</p>	120