

International Journal of Nematology

ISSN 1368-8774

Editor-in-Chief: Dr M. R. Siddiqi
24 Brantwood Road, Luton, Bedfordshire, LU1 1JJ, England
(Tel: 00-44-1582-726724; E-mail: rsiddiqi@dialstart.net)

Editor: Ms Safia F. Siddiqi, 20 - 6300 London Road, Richmond, B.C., V7E 6V6, Canada.
Tel.: 00-1-604-295-1540; e-mail: safia.siddiqi@ifns.org

Managing Editor: Dr Naved Sabir, National Centre for Integrated Pest Management, LBS Building,
I.A.R.I. Campus, New Delhi-110 012, India. Tel.: 00-91-11- 25843935, 25740951; Fax: +91-11-25841472;
Mobile: +91-9868589857; e-mail: n_sabir@rediffmail.com

Editorial Board Members:

Dr I. Andrassy, Hungary

Dr M. Araki, Japan

Dr A. Bello, Spain

Dr A. L. Bilgrami, USA

Dr F. Shahina, Pakistan

Dr D. De Waele, Belgium

Dr H. S. Gaur, India

Dr P. S. Grewal, USA

Dr D. J. Hunt, UK

Dr M. S. Jairajpuri, India

Dr M. G. K. Jones, Australia

Dr E. M. Mousa, Egypt

Dr So Deuk Park, Korea

Dr R. Rodríguez-Kábana, USA

Dr A. Y. Ryss, Russia

Dr N. A. Santos, Portugal

Dr M. T. Vinciguerra, Italy

Dr N. Vovlas, Italy

Dr W. M. Wouts, New Zealand

Dr Xuebiao Gao, China

Dr U. Zunke, Germany

Subscription information

Annual subscription (including airmail postage and packing):

Organisations, institutions and libraries: £75, North America and Japan US\$140

Members of nematological societies: £45, North America and Japan US\$80

[Add £10/ US\$20 for airmail postage]

Cheques and bank drafts should be made in the name of Afro-Asian Society of Nematologists and sent to the Editor-in-Chief. Subscription money can be paid directly into AASN bank account, details are: Barclays Bank PLC, PO Box 104, St. Albans, England; BIC code: BARCGB22; IBAN code: IBAN GB41 BARC 2074 0930 0562 51.

The International Journal of Nematology is a biannual journal. It is published in England by Novacrystal Publishing from 24 Brantwood Road, Luton, Beds. LU1 1JJ, United Kingdom.

© Afro-Asian Society of Nematologists: <http://www.ifns.org/membership/aasn.html>

INSTRUCTIONS TO AUTHORS

The International Journal of Nematology (IJN) is essentially devoted to the publication of original research papers on all aspects of plant, soil, freshwater, marine and invertebrate nematology. Papers on nematode parasites of vertebrates will also be considered for publication if they are of general interest or on taxonomy. All papers, review articles and short communication submitted to IJN must be unpublished original works. The manuscripts in English should be in a finished form and typed on one side of A4 size paper and double spaced throughout with ample margins. Pages should be numbered consecutively beginning from the title page. Foot notes should be avoided. Text in any format (tables and figures included or sent separately) on floppy diskette in MS Word or sent through e-mail as attached file(s) is preferred since it saves retyping.

Research papers. There is no restriction on overall length of research papers. The title page should preferably be a separate sheet and should include the following information: title of the paper, name(s) of author(s), name and address of institution where the work was carried out, an abstract of the paper followed by up to 15 keywords. A short running title may be suggested, after the keywords. Preferably, the text should be divided into INTRODUCTION, MATERIALS AND METHODS, RESULTS, DISCUSSION and LITERATURE CITED. A combined RESULTS AND DISCUSSION section is suitable.

Review articles and short communications. Review articles of general significance and surveying and critically evaluating recent developments in a particular research area will be published. Short communications for quick publication should include brief but definitive research notes.

Tables and figures. Tables should be descriptive without any reference to the text. Each table should be typed on a separate sheet. Figures, whether line drawings, graphs or photographs should be of a good quality. Legends to figures should be given on a separate sheet. Tables and figures should be numbered consecutively in Arabic numerals (Table 1, Table 2, Fig. 1, Figs 2 & 3, etc.) and be identified on the back by the name(s) of the author(s).

Units and abbreviations. Wherever possible all sizes and quantities should be expressed in Système Internationale (SI) units. Abbreviations such as mm (millimetre), µm (micrometre), g (gram), ha (hectare), J₂ or J2 (second-stage juvenile), n (number), SE, ± (standard error), h (hour) and morphometric ratios and symbols as in Siddiqi's (2000) book on Tylenchida should be used. Week, day, month and year should not be abbreviated.

Literature citation. In the text, references should be cited as follows: two authors, Nirmala and Mehta (1994) or (Hillocks & Bridge, 1992), three or more authors, Escuer *et al.*, 1991 or (Anis *et al.*, 2002). All references made in the text must be listed under 'LITERATURE CITED' at the end of the text. References should be listed alphabetically by the authors, followed by the year of publication. Journal titles should be cited in full, while for books the place of publication should precede the name of the publisher. Examples:

Siddiqi, M. R. 2000. *Tylenchida Parasites of Plants and Insects, 2nd Edition.* Wallingford, UK: CAB International, xvii + 833 pp.

Griffith R. and P. K. Koshy 1990. Nematode parasites of coconut and other palms. In: *Plant Parasitic Nematodes in Subtropical and Tropical Agriculture*, pp. 363-386 (eds M. Luc, R. A. Sikora and J. Bridge). Wallingford, UK: CAB International.

Khan, E., M. Singh and M. Lal 1998. Four new species of tylenchids (Nematoda: Tylenchida) from Nepal. *International Journal of Nematology* **8**, 27-32.

Submission. One copy of the manuscript with the original figures should be submitted to the Editor-in-Chief, Dr. M. R. Siddiqi, 24 Brantwood Road, Luton, LU1 1JJ, England. It is requested to provide the text on floppy diskette in MS Word or send the text by e-mail either to: rsiddiqi@dialstart.net, or safia.siddiqi@ifns.org and send the figures by airmail post. Payment of page charges (£30/page, £15/page reduced rate) helps the publication of IJN and facilitates quick publication.

Proofs and reprints. One copy of the proofs will be sent to the first or only author, preferably by e-mail, which must be returned to the Editor-in-Chief within a fortnight. Corrections can be communicated by e-mail: rsiddiqi@dialstart.net or safia.siddiqi@ifns.org. No free reprints will be supplied, but reprints can be ordered, up to 100, at cost (50 and 100 reprints for a 4-page paper are

charged at £40 and £60, respectively, plus postage and packing charges) while returning the proofs.

Copyright. Copyright of all papers published in IJN is with the Afro-Asian Society of Nematologists (AASN). Acceptance of manuscripts for IJN automatically transfers the copyright to AASN.

Disclaimer. IJN accepts no liability for any alterations, errors, or omissions in publication and do not provide

warranty, expressed or implied, with respect to the contents of published articles. Editors of IJN have the right to alter the submitted papers, review articles and short communications to agree with the format of the journal and/or the policy of the AASN. The financial liabilities of IJN and AASN are limited to the money in their bank accounts.

International Journal of Nematology

Vol. 18, No. 1

June, 2008

CONTENTS

- ◆ **Vladimir G. Gagarin and Vladimir A. Gusakov.** Description of male and redescription of female of *Paramonochus arcticus* Mulvey, 1978 (Nematoda, Mononchida) 1
- ◆ **G. A. A. Elbadri, Z. Khan, I. S. Moon, D. W. Lee and Y. H. Choo.** Descriptions of three new species of soil nematodes from Sudan 4
- ◆ **Pankaj, Deepika Rohatgi, N. A. Shakil, Anil Sirohi, J. Kumar, S. S. Gaurav, H. S. Gaur, H. C. Meher, Chitra Singh, Veer Kishor and S. P Bishnoi.** Biochemical prediction of resistance in wheat to cereal cyst nematode, *Heterodera avenae* 13
- ◆ **Tariq Mukhtar, Abdul Rashid, Muhammad Zameer Kayani and Muhammad Ashfaq.** Integration of leaf extracts of *Azadirachta indica* and *Calotropis procera* with *Verticillium chlamyosporium* in the control of *Meloidogyne javanica* and their effects on the activity of the fungus 21
- ◆ **Rashid Pervez, S. S. Ali and R. Ahmad.** Effect of temperature on the emergence of infective juveniles of entomopathogenic nematodes 25
- ◆ **T. I. Olabiyi, E. E. A. Oyedunmade, G. J. Ibikunle, G. O. Adesina, K. A. Adelasoye and T. A. Ogunniran.** Chemical composition and bio-nematicidal potential of some weed extracts on *Meloidogyne incognita* 29
- ◆ **M. M. A. Youssef, Wafaa M. A. El Nagdi and A. I. Abd El Fattah.** Efficacy of chicken compost, *Bacillus thuringiensis* and *Pseudomonas fluorescens* for biocontrol of *Meloidogyne incognita* infecting sugar beet in Egypt 35
- ◆ **N. T. Amponsah, S. K. Nutsugah, M. Abudulai, C. Oti-Boateng, R. L. Brandenburg and D. L. Jordan.** Plant parasitic nematodes associated with peanut, cowpea and soybean in Ghana and response of peanut cultivars to *Pratylenchus* species 41
- ◆ **B. Dhara Jothi and Usha K. Mehta.** Pathogenicity and bio-efficacy of entomopathogenic nematodes against sugarcane shoot borer *Chilo infuscatellus* 47
- ◆ **C. C. Iheukwumere, H. J. W. Mutsaers and K. E. Dashiell.** Population and pathogenicity of root-knot nematode *Meloidogyne incognita* on soybeans in Nigeria 54
- ◆ **J. J. Atungwu and L. O. Kehinde.** Evaluation of organic based fertilizer as an alternative to Furadan in the management of *Meloidogyne incognita* on soybeans in Nigeria 61
- ◆ **A. M. Ortiz, S. C. Miyasaka, J. J. Cho, and B. S. Sipes.** Resistance and tolerance to *Meloidogyne javanica* in *Colocasia esculenta* from Thailand, Vietnam and Nepal 66
- ◆ **Amjad Zia, Safdar A. Anwar and N. Javed.** Host status of sugar beet genotypes to *Meloidogyne incognita* 71
- ◆ **C. R. Satpathi, A. Sarkar and P. Acharjee.** Factors affecting abundance of parasitic nematode *Hexameris* sp. in Eastern India 75
- ◆ **Nandini Gokte-Narkhedkar, N. V. Lavhe, P. R. Panchbhai and B. M. Khadi.** Cottage industry scale in vivo production of *Heterorhabditis indica* for the control of *Helicoverpa armigera* on cotton in India 79

◆ A. R. Khan, and S. S. Singh. Nematode management in rice production system through deep tillage	83
◆ M. Omolara Olaniyi. Effects of organic mulches on the vegetative growth of plantain and nematode infection	86
◆ Mohammad Rafiq Siddiqi. Four new species of <i>Promuntazium</i> Siddiqi, 1982 (Nematoda: Dorylaimida)	93
◆ Anil Sirohi, Deepika Rohatgi, K. C. Bansal, Suchitra Ahlawat, G. Jyotsna and H. S. Gaur. A novel strategy to enhance resistance against root-knot nematode, <i>Meloidogyne incognita</i> in tomato	101
◆ Lorna E. Herradura, Adelfa N. Lobres, Dirk De Waele, Romulo G. Davide and Inge Van den Bergh. Host plant response of Papua New Guinean <i>Musa</i> genotypes to <i>Radopholus similis</i>	106
◆ Umarao and Vangapandu Sashi. Molecular characterization of Indian populations of <i>Heterodera filipjevi</i> in tomato using PCR-RFLP of rDNA	118

International Journal of Nematology

Vol. 18, No. 2

December, 2008

CONTENTS

◆ Umarao, Vangapandu Sashi, K. K. Kaushal, and A. K. Ganguly. Random amplified polymorphic DNA (RAPD) analysis of some <i>Heterodera</i> spp. from India	123
◆ Padma Bohra and Razia Sultana. Description of <i>Neoactinolaimus rajasthanensis</i> sp. n. (Nematoda: Dorylaimida) from India	128
◆ Vladimir G. Gagarin and Nguyen Vu Thanh. Four new species of free-living nematodes of family Axonolaimidae (Nematoda, Araeolaimida) from mangrove of Mekong River Delta, Vietnam	133
◆ Zakaullah Khan, Toyoshi Yoshiga, Etsuko Okumura and Ryusei Tanaka. Descriptions of four new species of predatory soil nematodes (Nematoda: Mononchida) from Japan	144
◆ Zakaullah Khan, Ryusei Tanaka and Toyoshi Yoshiga. Five new species of the superfamily Actinolaimoidea (Nematoda: Dorylaimida) from Japan	151
◆ Mohammad Rafiq Siddiqi. Descriptions of five new species of <i>Tylenchorhynchus</i> Cobb (Nematoda: Tylenchida: Telotylenchinae)	159
◆ Y. I. Erum, F. Shahina and M. R. Siddiqi. <i>Subanguina balochia</i> n. sp. forming stem galls on grasses in Balochistan, Pakistan	169
◆ Nguyen Thi Tuyet, Ho HuuNhi, I. Van den Bergh, A. Elsen and D. De Waele. Occurrence of <i>Pratylenchus coffeae</i> on agricultural crops in Vietnam	174
◆ Anjum Nasreen Rizvi. Community analysis of soil inhabiting nematodes in natural Sal forest of Dehradun, India	181
◆ M. M. M. Mohamed and Nadia G. El-Gamal. Effect of formulated composts in biocontrol of root rot fungi and root knot nematodes on tomato in Egypt	191
◆ Rishi Pal, M. Abid Hussain and C. S. Prasad. Natural occurrence of entomopathogenic nematodes in Meerut district, North India	198

◆ C. R. Satpathi and A. Mandal. Distribution of <i>Agamermis</i> sp. parasitizing brinjal leaf webber in eastern India with special reference to West Bengal	203
◆ Saad L. Hafez and P. Sundararaj. Combination treatment of Nematicides for the management of <i>Meloidogyne chitwoodi</i> in potato	207
◆ Saad L. Hafez and P. Sundararaj. Efficacy of chemical nematicides on <i>Heterodera schachtii</i> management	211
◆ Puja Ohri, Satwinder K. Sohal, Renu Bhardwaj, Uma R. Khurma. Biochemical evaluation of some enzymes of root-knot nematode, <i>Meloidogyne incognita</i> under the influence of brassinosteroids	216
◆ A. K. Maru, A. U. Siddiqui, A. Parihar and S. K. Sharma. Effect on the survival and infectivity of entomopathogenic nematodes (<i>Steinernema</i> spp.) under host desiccation	221
◆ M. Omolara Olaniyi. Plant parasitic nematodes associated with cultivated crops and weeds in a rain forest area of Nigeria	225
◆ Jagadeesh Patil, Hari S. Gaur and Sharad Mohan. Induction of anhydrobiosis in <i>Heterorhabditis indica</i> IJ3 by variable relative humidity and osmosis	229
◆ Ayşe Nur Tan and M. Emel Ökten. Tylenchid nematodes associated with melon growing in Diyarbakir province, Turkey	235
◆ Pankaj, N. A. Shakil, Anil Sirohi, Jitendra Kumar and H. S. Gaur. Lignin content and its role in systemic acquired resistance in cowpea against root-knot nematode, <i>Meloidogyne incognita</i>	244
◆ A. Pramanik and K. Roy. Impact of organic amendments and bio-inoculants on <i>Meloidogyne incognita</i> - race 2 in tomato	250